



### Description:

This is a modular building with separate rooms for unit testing (which includes a CO<sub>2</sub> fire suppression system) and, a soundproof climate-controlled operator PLC control/monitoring equipment room. An integrated exhaust stack, remote starter cell and, load bank completes the system.

### Physical dimensions:

#### Building

Length \_\_\_\_\_ 360.0 in [914cm] with stack 440 in. [1,118cm]  
 Width \_\_\_\_\_ 132.0 in [335cm]  
 Height \_\_\_\_\_ 120.0in [305cm] with stack 222 in. [564cm]

#### Pneumatic Starter Cell

Length \_\_\_\_\_ 240.0 in [610cm]  
 Width \_\_\_\_\_ 96.0 in [244cm]  
 Height \_\_\_\_\_ 79.0in [201cm]

### Mechanical/Electrical Requirements:

Electrical @ 380 VAC, 50 Hz, 3 PH

### Engines this test cell will support:

HONEYWELL: 131-9A  
 HONEYWELL: 331-500B

HONEYWELL: 131-9B

HONEYWELL: 331-350C

**James A. Staley Company, Inc.**  
**5 Bowen Court, Carmel N.Y. 10512**

Test stands: Design Manufacture Overhaul  
 TELE: (845) 878-3344

Electrical-fuel-generator-hydraulic-oil-oxygen-pneumatic  
 FAX: (845) 878-3429

E-MAIL: sales@staleyco.com